#### Global Humic Products Ltd.



53323 Rge Rd 232 • Sherwood Park • AB • CANADA • T8A 4V2

Telephone: 780-464-8642 (GO HUMIC)

Toll Free 844-464-8643 Fax: 780-449-4971

Website: www.global-humic.com

# **Safety Data Sheet**

## **Product of Canada**

#### Section 1. Product and Manufacturer Identification

Product Identifier: GHP DRY HG - POWDER

Recommended Use: Soil Amendment
Suggested Use: Industrial/Agricultural
Canadian Supplier Identifier: Global Humic Products Ltd.

53323 Range Road 232, Sherwood Park, Alberta, Canada, T8A 4V2

Email: eliem@global-humic.com

**Emergency phone:** 780-464-8642 **Date Prepared:** Oct 29, 2024

#### Section 2. Hazard Identification

Hazard Classification: Acute toxicity: oral, dermal, inhalation (Category 4) - maybe harmful swallowed

Skin irritation (Category 3) - causes mild skin irritation Eye irritation (Category 2A) - causes eye irritation

Specific target organ toxicity: respiratory tract irritation (Category 3) - (dust) may

cause respiratory irritation

Label Elements: WARNING



If medical advice is needed, have product container or label at hand

Keep out of reach of children

Do not get in eyes, on skin, or on clothing

Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area

Wear respiratory protection

#### Section 3. Composition / Information on Ingredients

Chemical Name: Lignite

Common Name and Synonyms: Humalite, oxidized/weathered sub-bituminous coal

**Chemical Abstract Service** 

Registry Number: 129521-66-0

Chemical Name of Impurities: N/A

#### Section 4. First Aid Measures

If swallowed: Rinse mouth

If on skin or hair: Rinse skin with water/shower

If Inhaled (Dust): Remove person to fresh air and keep comfortable for breathing

If in Eyes: Rinse cautiously with water for several minutes

If on Clothing: Take off contaminated clothing and wash it before reuse

#### Section 5. Fire Fighting Measures

Flammability: Not considered a fire hazard

**Means of Extinction:** Use media appropriate to surround fire

**Special Procedures:** Use protective clothing and breathing equipment

# Safety Data Sheet

## Section 6. Accidental Release Measures

Cleaning: Sweep and contain, notify appropriate authorities when release to environment occurs.

Containment: Storage containers

#### Section 7. Handling and Storage

Handling: Ordinary dry material transfer and storage equipment (buckets,etc)

Storage: Store in a dry place, closed container, at temperatures not exceeding 50°C or below

freezing

#### Section 8. Exposure Controls / Personal Protection

Personal Protective Respiratory Protection - an approved NIOSH/MSHA respirator with a dust filter, approved for

**Equipment:** silica bearing dust

Protective Gloves - wear loose fitting gloves

Eye protection - goggles required when working with bulk material local exhaust

and confinement of handling system may be required to control dust

#### Section 9. Physical and Chemical Properties

**Physical State:** Dry Odor: Odorless **Odor Threshold:** N/A **Vapor Pressure:** N/A Vapor Density: N/A **Evaporation Rate:** N/A **Boiling Point:** N/A pH: 4.2

Appearance:Dark BrownSpecific Gravity:800 kg/m³Coefficient of Water/Oil Distribution:N/A

Moisture: 25 to 35% may lose or gain moisture over time, depending on humidity and temperature

and exposure to environment

#### Section 10. Stability and Reactivity

Chemical Stability: Stable under ambient conditions

Incompatibility with other Substances: Non-reactive

Minimum Ignition Temperature: 270°C @ 3% moisture, 590 °C @ 25% moisture

Minimum Explosive Concentration: 60 to 90 g/m³ @ 3% moisture, 500 g/m³ @ 25% moisture

Minimum Ignition Energy: 1,000 mJ
Susceptibility to Spontaneous Combustion: N/A

## Section 11. Toxicological Information

Lethal Dose: N/A Lethal Concentration: N/A

Routes of Exposure: Ingestion, skin contact, eye contact, inhalation

Effects of Repeated (Chronic) Exposure: Prolonged and/or repeat exposure vis inhalation of dust may result in progressive and

permanent lung disorders.

Free Silica: ≤ 2% Respirable Quartz Silica: ≤ 0.5%

Significant Laboratory Data with Possible Relevance to Human Health Hazard Evaluation: Dust has been related to

silicosis, ACGIH Recommends ≤ 2 mg/m³ respirable dust (TWA limit)

### Section 12. Ecological Information

Ecological Concerns: N/A



# Safety Data Sheet

Section 13. Disposal Considerations

Disposal: In accordance with applicable environmental regulations, landfills

Section 14. Transportation Information

Department of Transportation: Not considered hazardous material

Section 15. Regulatory Information

Registrations: United States Department of Agriculture - National Organic Program Canadian Food Inspection

Agency (Exempt). California Department of Food and Agriculture Other states in United States

Section 16. Other Information

Latest Revision: Oct 29, 2024

